


C&I Energy Storage System

SigenStack BC	M2-0.5C	M2-0.5C-BST ¹	M2-1C-BST ¹	Unit		
Max. output current (to inverter)	180					
Max. input current (from inverter)	180					
Operating voltage range	550 ~ 1100					
Nonimal charge/discharge current of battery	157	157	314	Α		
Weight	50	60	60	kg		
Dimensions (W / H / D)	768 / 248 / 363 mm					
Communication	CAN					
Compatible inverter	Sigen Hybrid Inverter Series					

	<u> </u>		
	SigenStack BAT 12.0	Unit	
Performance Specification		·	
Battery type	LiFePO4		
Cell capacity	314	Ah	
Cycle life ²	10000		
Total energy capacity per module	12.06	kWh	
Weight	107	kg	
Dimensions (W / H / D)	768 / 300 / 363	mm	
Nominal charge / discharge rate	0.5C		
Max. charge / discharge rate	1C		
System configuration quantity range	4 ~ 21	pcs	
Max. system energy capacity	253	kWh	
System General Data			
Fire suppression system	Aerosol, smoke sensor and exhausting system		
Max. operating altitude	4,000 (Derating at 2,000m)	m	
Cooling	Smart air cooling		
System ingress protection rating	IP66		
Noise	< 70	dB	
Operating temperature range	-20 ~ 55	°C	
Relative humidity range	0% ~ 100%		
Max. number of modules per stack	7	pcs	
Max. number of modules per system	21	pcs	
Dimensions of base (W / H / D)	768 / 195 / 363	mm	
Installation method	Floor standing		



Number of battery modules	4	5	6	7	pcs
Total energy capacity	48.24	60.3	72.36	84.42	kWh
Total weight	508	615	722	829	kg
Total height (with base and SigenStack BC)	1,643	1,943	2,243	2,543	mm
Total width	768				mm
Total depth	363				mm

^{1.} When the number of battery modules in a system < 19, or in the case of PV + ESS (DC coupling) projects, the battery controller should always utilize the 'BST' model.

Disclaimer: The information in this file is provided on an "as is" basis. To the fullest extent permitted by law, Sigenergy Technology Co., Ltd. excludes all representations and warranties relating to this file and its contents or which is or may be provided by any affiliates or any other third party, including in relation to any inaccuracies or omissions in this file.

^{2.} This is provided by the battery cell manufacturer. Based on cell test condition of 25±2°C, 0.5C charge and discharge rate and SOH=60%.